



Curl Defining Conditioner (RC-17)

SeraSense® RB 22 is the ultimate conditioning ingredient for promoting curl definition and humidity resistance. It is a blend of volatile silicone and film-forming resin which offers instant and long-lasting conditioning for even the wildest of locks. **Vida-Care HEC** thickens, stabilises and exhibits some shear thinning

Raw Material/INCI Name	% w/w	Trade name/Supplier	Function
Water	To 100	-	Vehicle
Disodium EDTA	0.20	Edeta BD/BASF	Chelating Agent
Glycerin	1.50	Surfac G995V/Surfachem	Humectant
Hydroxyethylcellulose	1.50	Vida-Care HEC/KCCBasildon	Thickener
Citric Acid	0.33	Surfac Citric Acid Monohydrate BP/Surfachem	pH Adjuster
Cetyl Alcohol	1.00	Crodacol C90/Croda	Bodifying Fat
Stearyl Alcohol	1.00	Crodacol S95/Croda	Bodifying Fat
Behentrimonium Chloride (and) Isopropyl Alcohol	0.25	Incroquat Behenyl TMC-85/Croda	Conditioning Fat
Cyclopentasiloxane (and) Trimethylsiloxysilicate	2.00	SeraSense® RB 22/KCC Beauty	Anti-Frizz, Humidity Resistance
Parfum (Fragrance)	0.50	-	Fragrance
Phenoxyethanol (and) Benzyl Alcohol (and) Potassium Sorbate (and) Aqua (and) Tocopherol	1.00	Euxyl K700/Schülke	Preservative

Typical Properties

Appearance:	White, viscous emulsion
Viscosity @ 25°C:	10000 - 20000 cPs (Brookfield Helipath, T Bar C, 10rpm)
pH @ 25°C:	3.0 - 4.0

Method

Add the water to the vessel and begin to stir.

Premix the glycerin and Vida-Care HEC, add to the water and stir until thickened. Continue to heat to 80 - 85°C.

Add the fats and stir until melted. Homogenise at 3000rpm until smooth and white.

Cool to below 40°C and add the remaining ingredients in order.

Please note that the above formulation is only intended as a guide. It is not a commercial formulation and has not been tested as such. The formulation should be evaluated and modified for your own requirements before use. Also suggestions of uses should not be taken as inducements to infringe any particular patent.

Basildon Chemical Co. Ltd, Kimber Road, Abingdon, Oxfordshire, OX14 1RZ, UK

KCC Corporation, 1301-4, Seocho-Dong, Seocho-Gu, 137-703, Seoul, Korea

☎ +44 (0)1235 526677 | ✉ info@kcc-beauty.com | 🌐 www.kcc-beauty.com

✉ webenquiries@baschem.co.uk | 🌐 www.kcc-basildon.com