



Coconut Oil Conditioner with SeraShine® EM 807(RC-21)

SeraShine® EM 807 is an optimised emulsion of coconut and olive oils with 52% active content, improving wet and dry combing and smoothness, and leaving hair significantly softer than using neat oils. This blend has also been shown to strengthen fibres and is easily incorporated into aqueous formulations. **Vida-Care HEC** thickens, stabilises and exhibits some shear thinning which aids spreadability during application.

Raw Material/INCI Name	% w/w	Trade name/Supplier	Function
Aqua (Water)	To 100	-	Vehicle
Disodium EDTA	0.20	Edeta BD/BASF	Chelating Agent
Glycerin	1.50	Surfac G995V/Surfachem	Humectant
Hydroxyethylcellulose	1.50	Vida-Care HEC/KCC Basildon	Thickener
Citric Acid	0.40	Surfac Citric Acid Monohydrate BP/Surfachem	pH Adjuster
Cetearyl Alcohol	0.50	Crodacol CS90/Croda	Bodifying Fat
Stearyl Alcohol	0.50	Crodacol S95/Croda	Bodifying Fat
Behentrimonium Chloride (and) Isopropyl Alcohol	0.20	Incroquat Behenyl TMC-85/Croda	Conditioning Fat
Cocos Nucifera (Coconut) Oil (and) Olea Europaea (Olive) Fruit Oil (and) Laureth-4 (and) C12-14 sec-Pareth-9	3.85	SeraShine® EM 807/KCC Beauty	Conditioning Agent
Parfum (Fragrance)	1.00	Argan & Coconut (B)/AFF Ltd	Fragrance
Phenoxyethanol (and) Benzyl Alcohol (and) Potassium Sorbate (and) Aqua (and) Tocopherol	1.00	Euxyl K700/Schülke	Preservative

Typical Properties

Appearance:	White, viscous emulsion
Viscosity @ 25°C:	10,000 - 20,000cPs (Brookfield Helipath, T Bar C, 10rpm)
pH @ 25°C:	3.0 - 4.0

Method

Add the water to the vessel and begin to stir.

Premix the glycerin and Vida-Care HEC, add to the water and stir until thickened. Continue to heat to 80 - 85°C.

Add the fats and stir until melted. Homogenise at 3000rpm until smooth and white.

Cool to below 40°C and add the remaining ingredients in order.

Please note that the above formulation is only intended as a guide. It is not a commercial formulation and has not been tested as such. The formulation should be evaluated and modified for your own requirements before use. Also suggestions of uses should not be taken as inducements to infringe any particular patent.

Basildon Chemical Co. Ltd, Kimber Road, Abingdon, Oxfordshire, OX14 1RZ, UK

KCC Corporation, 1301-4, Seocho-Dong, Seocho-Gu, 137-703, Seoul, Korea

☎ +44 (0)1235 526677 | ✉ info@kcc-beauty.com | 🌐 www.kcc-beauty.com

📧 webenquiries@baschem.co.uk | 🌐 www.kcc-basildon.com