



Scalp Scaling Ampoule (ST-2)

Caring for the scalp is just as important as caring for the hair in Korea. This rinse-off treatment is designed to be massaged into the hair and scalp. **SeraShine® EM 121** is an excellent conditioner, which also smooths and repairs damage. It also contains less than 0.1% D4 and D5.

Raw Material/INCI Name	% w/w	Trade name/Supplier	Function
Aqua (Water)	To 100	-	Vehicle
Glycerin	1.00	Surfac G995V/Surfachem	Humectant
Hydroxyethylcellulose	1.00	Vida-Care HEC/KCC Basildon	Thickener
Citric Acid	0.40	Surfac Citric Acid Mono BP/Surfachem	pH Adjuster
Cetearyl Alcohol	5.50	Crodacol CS90/Croda	Bodifying Fat
Behentrimonium Methosulfate (and) Quaternium-87 (and) Cetearyl Alcohol	0.50	Crodazosoft MCC/Croda	Conditioning Fat
Cetyl Stearate (and) Isostearyl Isostearate (and) Cetyl Alcohol (and) Potassium Cetyl Phosphate (and) Stearic Acid	1.00	DuraQuench IQ SA/Croda	Scalp Moisturising
Defenscalp	0.50	Water (and) Epilobium Angustifolium Flower/Leaf/Stem Extract/Infinity Ingredients (IFF Lucas Meyer)	Scalp Soothing
Dimethicone (and) C12-14 sec-Pareth-5 (and) C12-14 sec-Pareth-9	4.00	SeraShine® EM 121/KCC Beauty	Conditioning Agent
Parfum (Fragrance)	0.50	Fresh Locks Fragrance/AFF Ltd	Fragrance
Phenoxyethanol (and) Benzyl Alcohol (and) Potassium Sorbate (and) Aqua (and) Tocopherol	1.00	Euxyl K700/Schülke	Preservative

Typical Properties

Appearance:	Viscous, white emulsion
Viscosity @ 25°C:	10,000 - 20,000cP (Brookfield Helipath, T bar C, 10rpm)
pH @ 25°C:	3.5 - 4.5

Method

Add the water to the vessel. Begin heating to 85°C.

Premix the glycerin with the HEC and add to the water. The product will thicken once fully dispersed.

Add the citric acid, stir until homogenous.

Add the fats, once at 85°C, ensure the fats have melted and transfer the batch to the homogeniser. Homogenise at 3000rpm for 3 - 5 mins, until white and smooth. Transfer back to the paddle stirrer and stir slowly, allowing to cool. Once below 40°C, add the rest of the ingredients in order, stirring well between additions.

Basildon Chemical Co. Ltd, Kimber Road, Abingdon, Oxfordshire, OX14 1RZ, UK

KCC Corporation, 1301-4, Seocho-Dong, Seocho-Gu, 137-703, Seoul, Korea

+44 (0)1235 526677 | info@kcc-beauty.com | www.kcc-beauty.com

webenquiries@baschem.co.uk | www.kcc-basildon.com

Check pH and viscosity.

Please note that the above formulation is only intended as a guide. It is not a commercial formulation and has not been tested as such. The formulation should be evaluated and modified for your own requirements before use. Also suggestions of uses should not be taken as inducements to infringe any particular patent.